

SUPPLEMENT TO

The Gazette



सत्यमेव जयते

of India

No. 34]

NEW DELHI, SATURDAY, AUGUST 25, 1951

OFFICIAL PAPERS

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 28th July, 1951

CHOLERA							SMALLPOX						
PLAGUE							CHOLERA						
C. D. C. P. C. D.							C. D. C. P. C. D.						
STATES PART (A) & PART (C)							Bihar—contd.						
Ajmer							Champanan . . . 4 1						
No incidence.							Muzaffarpur 9 4 .. .						
(Estd. mid-year pop. 680 thousands)							Darbhanga 65 25 .. .						
Total for w/e 21-7-51							Monghyr . . . 18 8 8 1 .. .						
Total for w/e 14-7-51							Bhagalpur . . . 50 27 9 .. .						
7-yearly mean for the week.							Saharsa 14 3 .. .						
Assam							Furness 34 31 4 .. .						
Cachar . . . 4 2 2 1 .. .							Santal Parganas . . 94 34 31 4 .. .						
Khasi and Jaintia Hills							Hazaribagh . . . 4 1 1 .. .						
Naga Hills							Ranchi . . . 9 6 14 1 .. .						
Goalpara							Manbhum . . . 33 11 21 4 .. .						
Kamrup							Palamau 27 3 .. .						
Darrang							Singhbhum 10 2 .. .						
Nowgong							TOTAL 437 174 313 77 .. .						
Sibsagar							(Estd. mid-year pop. 58,839 thousands).						
Lakhimpur							Total for w/e 21-7-51 230 99 461 124 .. .						
Sadiya & Frontier Tracts.. .. .							Total for w/e 14-7-51 105 50 663 129 .. .						
Garo Hills							7-yearly mean for the week. . . 1600 744 99 28 1 .. .						
TOTAL . . . 4 2 6 3 .. .							Bombay						
(Estd. mid-year pop. 8,101 thousands)							Bombay 3 .. .						
Total for w/e 21-7-51 4 2 6 1 .. .							ahmedabad 1 1 .. .						
Total for w/e 14-7-51 11 6 .. .							Kaira						
7-yearly mean for the week . 16 8 7 1 .. .							Broach						
Bhopal							Panch Mahals						
No incidence.							Surat 39 5 .. .						
(Estd. mid-year pop. 831 thousands)							Thana 3 .. .						
Total for w/e 21-7-51							Bombay Suburbans						
Total for w/e 14-7-51							Ahmednagar . . . 1 .. 13 1 .. .						
7-yearly mean for the week . 2 1							East Khandesh . . . 4 2 .. .						
Bihar							West Khandesh						
Patna 113 29 22 6 .. .							Amreli 6 2 .. .						
Gaya 81 43 21 2 .. .							Nasik 3 1 .. .						
Bhahabad 6 1 10 10 .. .							Poona 1 1 18 2 .. .						
Saran 25 13 42 12 .. .							Satara North 2 .. .						
							Satara South 3 . 9 .. .						
							Sholapur 9 4 .. .						

Explanation of symbols used:— C.—Cases ; D.—Deaths.

Reports of attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th July 1951.—*contd.*

	CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX		PLAGUE	
	O.	D.	O.	D.	O.	D.		O.	D.	O.	D.	O.	D.
Orissa							Uttar Pradesh—<i>contd.</i>						
Cuttack	12	6	23	6	—	—	Budaun
Balasore	6	—	—	—	Moradabad
Puri	13	3	—	—	Shahjahanpur	5	1
Tambalpur	43	23	—	—	Phibhit
Khondmals	Farrukhabad
Ganjam Plains	45	12	—	—	Etawah
Ganjam Agency	3	Kanpur	11	5	2
Koraput	41	16	Patehpur
Keonjhar	..	2	9	2	Allahabad	2
Dhenkanal	7	Jhansi
Bolangir Patna	22	8	Jalaun	1	1
Sundergarh	29	3	Hamirpur
Kalahandi	17	1	Banda
Angul	Banaras	3	2
Mayurbhanj	59	16	Mirzapur	1	1
TOTAL	12	8	317	93	Jaunpur	1
(Estd. mid-year pop. 13,413 thousands)							Ghazipur
Total for w/e 21-7-51	35	26	435	85	Ballia	2	2
Total for w/e 14-7-51	40	17	471	98	Gorakhpur
7-yearly mean for the week	168	89	100	20	Deoria	1
Punjab (1)							Basti
Hissar	1	2	Azamgarh
Rohatak	2	Nainital	1
Gurgaon	Almora
Karnal	1	1	Garhwal
Ambala	1	Lucknow	22	8	1
Simla	Unao	4	4
Kangra	1	1	Rae Bareilly
Hoshiarpur	Sitapur
Jullundur	Hardoi
Ludhiana	5	Kheri	2	1
Ferozepore	1	Faizabad
Amritsar	Gonda
Gurdaspur	Bahraich
TOTAL	1	1	10	4	Sultanpur
(Estd. mid-year pop. 15,440 thousands)							Parbhaggarh	2
Total for w/e 21-7-51	1	1	17	5	Bara Baki	8	1
Total for w/e 14-7-51	2	2	17	4	Rampur
7-yearly mean for the week	32	17	3	3	TOTAL	66	23	14	5
Tripura							(Estd. mid-year pop. 62,134 thousands)						
TOTAL	5	Total for w/e 21-7-51	25	3	22	8
(Estd. mid-year pop. 584 thousands)							Total for w/e 14-7-51	14	7	44	15
Total for w/e 21-7-51	4	7-yearly mean for the week	748	258	46	12	4	1
Total for w/e 14-7-51	6	2	West Bengal						
Dehra Dun	Burdwan	25	11	80	27
Saharanpur	Birbhum	18	9	46	10
Muzaffarnagar	Bankura	37	12
Meerut	Midnapur	16	8	34	13
Bulandshahr	Hoogly	15	4	16	8
Aligarh	Howrah	46	28	23	12
Mathura	24-Parganas	19	8	28	10
Agra	5	2	1	Calcutta	101	17	3
Mainpuri	Nadia	1	1	7	8
Etah	Murshidabad	10	10
Barailly	4	Malda	49	14
Bijnor	1	West Dinajpur	41	19
							Jalpaiguri	3
							Darjeeling	7	2

Explanation of Symbols used : C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th July 1951--*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Vindhya Pradesh							Polio-myelitis						
no incidence.							(Information based on patients treated in hospitals in important towns.)						
Grand total for States Part (B)	251	129	64	22	28	9							
Grand total for States Parts (A), (B) & (C)	1,815	806	2,137	624	28	9	Places	Period	Cases				
TYPHUS							Delhi	16—31 July, 1951	8 (Parotid)				
The following cases of Typhus were reported during the week.							Punjab (I)	16—31 July, 1951	9 (")				
Place								1—16 July, 1951	7 (")				
Greater Bombay									(revised)				

Explanation of symbols used :—C=Cases ; D=Deaths.

NEW DELHI 2 INDIA; }
The 20th August 1951 }

S. P. JAIN,
for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000, and two joint holders upto Rs. 50,000/-.

Full particulars obtainable from Post Offices, District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simla.

Deposits accepted in multiples of Rs. 100/- upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum (free of all taxes and not taken into account in assessing the total taxable income) is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay Calcutta, Delhi & Madras, and Branches of The Imperial Bank of India in other places transacting treasury business.

Full particulars obtainable from District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioner, Simla.

3½%
TEN-YEAR
TREASURY SAVINGS
DEPOSITS

AC.275

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week en
the 28th July, 1951

Deaths from :—														
Town	Mid-1951 Popn. Est (000)	B.	B. R.*	C	S.	P.	F.	D.D	R.D.	M.D.	Total	D.R.*	I.D	
STATES—(Parts A and C)														
Ajmer														
Ajmer	108	118	31·0	16	..	8	..	34	8·9	6	
Be war	52	27	27·0	5	..	3	..	10	10·0	4	
TOTAL.	250	145	30·2	21	..	11	..	44	9·2	10	
		Assam Bhopal Bihar			Returns not received.									
Bombay														
Ahmedabad	882	638	37·0	..	1	..	70	29	87	2	319	18·9	130	
Ahmednagar	67	62	48·1	4	9	9	..	38	29·2	17	
Amalner	46	31	35·0	5	3	11	12·4	5	
Bandra †														
Baroda City	192	146	39·5	26	1	2	..	46	19·6	15	
Barai	42	21	26·0	6	1	1	..	14	17·3	5	
Belgaum	79	81	53·3	5	6	6	..	51	33·6	7	
Bhusawal	45	52	60·1	8	2	1	1	16	18·5	5	
Bijapur	58	48	43·0	3	..	5	..	27	24·4	8	
Bombay	2,354	1,214	26·8	8	26	187	1	660	14·6	218	
Broach	78	38	25·3	5	..	6	..	21	14·0	6	
Cambay	38	37	50·6	2	1	8	10·9	2	
Dharwar	55	45	42·5	2	3	1	..	16	15·1	7	
Dhulia	67	44	34·1	7	..	1	..	16	15·1	7	
Gadag-Betgeri	67	37	28·7	5	1	1	..	29	22·5	12	
Godhra	49	14	14·9	5	..	1	..	9	9·6	1	
Hubli	108	50	24·1	4	..	1	1	16	7·7	7	
Jalgaon	63	34	28·1	11	..	3	..	26	20·2	10	
Kalyan	37	30	42·2	1	4	..	10	14·1	..	
Kolhapur	117	93	41·3	2	..	2	..	35	15·6	7	
Kurla †														
Malegaon	41	38	48·2	11	3	15	19·0	4	
Mira	39	13	17·3	2	6	8·0	..	
Nadiad	59	50	44·1	8	18	15·9	8	
Nasik	59	46	46·5	4	3	3	..	26	22·9	8	
Navsari	47	27	29·9	9	1	11	12·2	3	
Pandharpur	37	32	45·0	12	8	12	..	39	54·8	10	
Parle Andheri †														
Patan	43	48	58·0	9	2	16	19·4	5	
Poona	319	288	25·0	3	38	6	129	21·0	39	
Sangli	40	27	35·0	1	2	11	14·1	3	
Satara	41	18	22·8	1	..	2	..	17	21·6	7	
Sholapur	274	187	35·5	8	16	32	..	101	19·2	26	
Surat	246	160	33·8	19	5	14	..	82	17·1	30	
TOTAL	5,689	3,649	33·4	..	1	..	262	125	419	12	1,839	16·8	612	
Delhi State														
Delhi City	702	579	42·8	66	7	25	..	161	11·2	63	
New Delhi	124	197	82·6	4	..	11	3	77	32·3	9	
TOTAL	826	776	48·9	70	7	36	3	228	14·4	72	
Madhya Pradesh														
Akola	78	51	34·0	12	7	3	1	34	22·7	2	
Amravati	78	92	61·6	9	1	3	1	31	20·8	8	
Bilaspur	44	30	35·7	3	1	10	11·9	3	
Burhanpur	64	60	48·6	..	1	..	5	4	1	..	14	11·3	..	
Chanda	44	33	39·4	1	10	11·9	7	
Damoh †														
Ellichpur	34	35	52·8	2	2	..	12	18·1	5	
Hingsenghat	34	16	24·7	0	..	2	..	8	12·4	3	
Jabalpur	177	51	15·0	..	1	..	16	4	2	..	34	10·0	..	
Khandwa	42	29	35·5	4	3	13	15·9	..	
Nagpur †														
Nagpur Civil Station †														
Rajpur †														
Sagar †														
Wardha	37	30	41·7	3	5	6·9	1	
Yeotmal	32	39	62·7	4	1	2	..	19	30·0	8	
TOTAL	664	466	36·5	..	2	..	63	23	15	2	190	14·9	37	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fevers, D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death rate ; I.D.=Infantile Deaths (included in total deaths).

B and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 28th July, 1951—*contd.*

Town	Mid.-1951 Popn. Est. (000)	Deaths from —												Total	D. R.*	I.D.
		B.	B. R.*	C.	S.	P.	F.	D. D.	R. D	M. D.						
Madras																
Adoni	35	36	53.5	2	1	..	10	14.9	5			
Ambur	39	58	77.3	1	..	4	..	16	21.3	4			
Anakapalle	35	40	59.4	..	7	..	8	4	4	..	37	55.0	5			
Aruppukottai	36	48	69.3	4	..	16	23.1	4			
Bellary	65	49	39.2	3	2	1	25	20.0	8			
Bhimavaram	33	10	15.8	6	7	11.0	1			
Cannanore	35	35	62.0	2	1	1	..	12	17.8	4			
Chirala	36	33	47.7	2	..	4	..	19	27.4	1			
Chittoor †																
Coimbatore †																
Cuddalore	62	76	63.7	..	2	..	2	2	2	1	28	23.5	6			
Cuddappah	34	30	59.7	1	1	2	11	16.8	3			
Dindigul	69	48	36.7	1	1	5	..	24	18.4	8			
Eluru	73	57	40.6	4	2	3	..	30	21.4	4			
Erode	45	43	66.9	..	1	2	2	2	25	38.9	8			
Guddiyattam	41	36	45.7	6	2	1	..	17	21.6	6			
Guntur †																
Kakinada	85	73	44.7	3	2	1	..	37	22.6	8			
Kanchipuram	84	93	57.6	2	3	10	1	44	27.2	11			
Kozhikode	154	176	59.3	..	3	..	5	2	6	2	80	27.0	12			
Karaikudi	36	26	37.6	2	1	..	8	11.7	4			
Karur	36	19	27.4	3	14	20.2	3			
Kumbakonam	72	85	61.4	3	1	2	7	4	46	33.2	4			
Kurnool	56	61	56.6	..	1	4	5	1	25	23.2	6			
Madras	1,027	1,258	63.7	..	5	..	65	80	215	1	752	38.1	186			
Mangalore	96	80	43.3	1	5	11	..	50	27.1	6			
Masulipatnam	61	75	63.9	6	2	3	1	43	36.4	10			
Mathurai	268	324	48.9	1	1	..	26	15	45	2	169	25.5	37			
Mayuram	33	35	55.2	2	2	1	20	31.5	3			
Malapalayam	32	13	21.1	1	..	1	..	6	9.8	1			
Nagapattinam	57	36	32.8	3	..	1	..	20	18.3	2			
Nellore	67	103	59.9	..	1	..	11	4	3	1	61	47.3	11			
Ootacamund	35	30	44.6	..	1	1	4	..	14	20.8	3			
Palyamkottai	34	38	58.1	1	..	4	..	14	21.4	3			
Palghat	61	68	57.9	1	3	4	..	28	23.9	7			
Proddatur	34	33	50.5	1	2	1	..	12	18.4	4			
Pudukottai	40	32	41.6	7	1	2	..	24	31.2	3			
Rajahmundry	86	73	44.1	1	3	4	3	1	57	34.5	8			
Rajapalayam	54	33	31.8	..	1	..	2	4	3	2	26	25.0	1			
Salem	158	130	42.8	6	5	11	2	84	27.6	23			
Srivilliputtur	37	33	46.4	5	3	21	29.5	2			
Tanjore	71	74	54.2	..	1	..	4	2	2	2	49	35.9	9			
Tellocherry	42	42	52.0	1	1	3	..	21	26.0	2			
Tonall	47	55	60.9	1	2	3	..	25	27.7	6			
Tiruchirappalli	177	97	28.5	..	2	1	16	1	101	29.7	17			
Tirunelveli	64	52	42.8	6	7	1	33	26.8	10			
Tiruppur	49	37	39.3	3	5	2	..	31	32.9	9			
Tiruvannamalai	40	31	40.3	1	3	3	1	18	23.4	5			
Tuticorin	91	83	47.4	..	1	..	2	5	12	1	46	26.3	10			
Vaniyambadi	40	31	40.3	1	3	..	12	15.6	5			
Vellore	86	93	56.2	1	1	..	4	4	3	1	39	23.6	7			
Vijayavada	113	114	52.5	..	1	..	8	1	5	..	47	21.6	14			
Virudunagar	36	39	56.3	3	6	2	..	25	36.1	6			
Visakhapatnam	84	95	58.8	6	6	6	4	47	29.1	10			
Vizianagaram	59	62	54.6	..	1	..	3	6	1	..	35	29.9	14			
TOTAL	4,373	4,440	52.8	7	30	..	218	225	444	34	2,461	29.3	549			

In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.=Births, B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week end the 28th July, 1951—*contd.*

Town	Deaths from :—											Total	D.R.*	I.D.
	Mid-1951 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Orissa														
Berhampur	50	40	41.7	4	4	2	..	20	20.8	6	
Outtack	84	95	58.9	7	6	1	1	53	32.9	8	
Puri†														
TOTAL	134	135	52.5	11	10	3	1	73	28.3	14	
Punjab (I)														
Ambala	58	43	38.7	4	1	1	..	7	6.5	3	
Amritsar	320	155	25.3	6	11	43	1	101	16.5	24	
Batala	51	18	18.4	2	..	2	..	8	8.2	4	
Bhiwani	52	47	47.0	4	..	1	..	11	11.0	5	
Ferozepore	48	28	35.6	1	2	..	5	6.4	2	
Hissar	35	25	37.3	2	1	5	7.5	1	
Hoshiarpur	46	22	24.9	5	..	1	..	8	9.1	1	
Jullundur	171	122	37.2	..	1	..	13	3	2	..	26	7.9	7	
Kaithal	35	23	34.3	2	3	4.5	..	
Karnal	60	49	42.6	6	2	10	8.7	2	
Ludhiana	150	106	36.8	11	1	1	..	22	7.6	3	
Moga	37	17	23.9	7	1	11	15.5	6	
Panipat	56	38	34.4	1	3	2.8	1	
Rewari	34	25	38.3	4	2	1	..	9	13.8	3	
Rohtak	59	50	44.2	6	..	1	..	8	7.1	2	
Simla	46	26	29.5	1	5	5.7	1	
Sonepat	31	16	26.9	2	6	10.1	2	
TOTAL	1,282	810	32.9	..	1	..	76	23	55	1	248	10.1	67	
Uttar Pradesh														
Agra	360	404	58.4	1	15	78	..	156	22.6	53	
Allahabad	332	250	39.2	3	..	52	1	92	14.4	34	
Amroha	67	66	51.1	3	2	2	..	21	16.3	7	
Bahraich	47	24	26.7	2	1	2	..	10	11.1	3	
Balrampur	52	14	14.0	12	13	13.0	1	
Banaras	313	370	61.6	79	18	23	2	250	41.7	94	
Bareilly	240	139	30.2	21	6	1	..	55	12.0	18	
Budaun	59	28	24.8	4	2	4	..	18	15.9	6	
Dehra Dun	105	53	26.2	..	1	..	5	2	6	..	25	12.4	2	
Etawah	59	62	54.3	16	3	5	1	42	36.8	17	
Faizabad-Ajodhya	58	47	42.0	4	..	4	3	16	14.3	1	
Farrukhabad-Fatehgarh	65	60	48.4	9	2	4	..	16	12.9	5	
Ferozabad	57	47	43.1	19	1	7	..	31	28.4	6	
Ghaziipur	35	29	42.9	6	1	12	17.7	2	
Gorakhpur	123	62	26.2	..	1	..	17	3	6	..	41	17.3	14	
Hapur	48	39	42.7	9	2	3	..	22	24.1	13	
Hardwar Union	72	36	26.1	9	3	1	..	24	17.4	4	
Hathras	57	63	57.4	13	2	5	..	30	27.3	8	
Jaunpur	52	23	22.9	4	1	4	..	16	15.9	..	
Jhansi	81	90	51.3	31	3	3	..	50	28.5	24	
Kanpur	701	385	28.6	128	47	47	7	391	29.1	112	
Khurja	42	31	38.7	2	..	2	..	11	13.7	6	
Kofi Aligarh	146	97	34.7	9	3	2	1	23	8.2	7	
Lucknow	498	356	37.3	53	18	30	1	210	22.0	75	
Mathura	102	68	34.7	13	3	7	..	42	21.4	10	
Meerut	163	118	37.8	9	1	11	1	37	11.9	9	
Mirzapur-Vindhyachal	82	91	58.2	20	2	3	..	43	27.5	16	
Moradabad	189	175	48.3	16	9	12	..	65	17.9	14	
Muzaffarnagar	66	55	43.1	19	..	3	..	30	23.5	10	
Pilibhit	54	33	32.0	5	8	7.8	1	
Rampur	105	23	11.4	9	2	2	..	19	9.4	2	
Saharanpur	171	132	40.3	58	1	1	..	65	19.8	30	
Sambhal	64	86	69.9	..	1	..	18	2	1	..	25	20.3	5	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fevers, D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R. Death Rates, I.D.=Infantile Deaths (included in total deaths).

and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 28th July, 1951—*contd.*

Town	Mid-1951 Popn. Est. (000)	Deaths from										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh—contd.														
Shahjahanpur	135	88	54.0	12	2	2	..	20	7.7	4	
Sitapur	38	27	37.3	2	2	1	..	7	9.7	3	
TOTAL	4,843	3,671	39.4	..	2	..	640	159	334	17	1,936	20.8	618	
West Bengal														
Asansol †														
Bally	61	7	6.0	1	2	1.7	..	
Bankura	49	10	10.6	1	2	2	..	10	10.6	..	
Baranagar	78	30	20.0	2	3	1	..	20	13.3	9	
Berhampur	56	32	29.7	..	3	..	4	11	10.2	3	
Bhatpara	134	31	12.0	11	2	3	..	40	17.9	6	
Budge-Budge	32	3	4.9	1	1	3	4.9	..	
Burdwan	76	10	6.8	2	..	1	..	8	5.5	..	
Calcutta	2,554	1,040	21.1	17	98	124	143	3	736	14.9	181	
Champhani	38	12	16.4	2	..	1	..	4	5.5	..	
Garden Reach	111	12	5.6	4	3	1	..	18	8.4	8	
Hoogly-Chinsura . .	57	32	29.1	1	11	3	2	..	21	19.2	5	
Howrah †														
Kamarhati †														
Krishnagar	48	4	4.3	1	1	1.1	..	
Midnapur	44	28	33.1	..	1	..	3	1	11	13.0	..	
Nabadwip	57	27	25.0	5	5	12	10.9	1	
Naihati	56	10	9.3	3	1	6	5.6	1	
Serampur	74	35	24.6	1	1	..	3	3	2	..	20	14.1	2	
South Suburban . . .	104	19	9.5	1	4	..	5	3	1	..	19	9.5	5	
Titagarh	71	35	25.6	30	..	1	..	35	25.6	3	
Tollyganj	154	5	1.7	
TOTAL	3,864	1,382	18.6	21	9	..	185	152	158	3	932	13.2	124	

STATES—(PART B)

Return not received.

Jammu and Kashmir				Return not received.									
Madhya Bharat													
Greater Gwalior	240	138	30.4	—	9	27	5.9	6
Indore City	278	137	25.6	34	8	7	..	125	23.4	46
Ratlam	52	40	40.0	5	1	5	..	21	21.0	..
Ujjain City	106	52	25.5	1	3	8	..	50	24.5	22
TOTAL	676	367	28.2	49	12	20	..	223	17.2	74
Mysore State													
Bangalore City	788	369	24.4	3	1	—	10	47	63	—	156	10.3	—
Kolar Gold Fields	160	130	42.3	—	3	7	2	—	24	7.8	—
Mysore City	247	128	26.9	5	—	..	11	10	..	—	60	12.6	—
TOTAL	1,195	627	27.3	8	1	—	24	64	65	..	240	10.4	..
PEPSU													
Malerkotla	36	29	41.0	..	—	—	2	—	2	2.9	1
Patiala	85	53	32.9	..	—	—	19	2	8	..	41	25.1	17
TOTAL	121	82	35.2	21	2	8	..	43	18.5	18
Rajasthan													
Alwar	58	10	9.0	3	1	2	..	13	11.7	..
Bikaner	147	64	28.4	2	3	..	21	9.3	3
Jaipur	295	77	19.6	38	3	6	1	88	15.5	29
Jodhpur	176	13	38.4	7	2	2	..	20	7.7	..
Udaipur	91	4	2.3	..	2	..	4	12	7.0	3
TOTAL	737	168	11.9	..	2	..	51	8	13	1	160	11.8	35
Saurashtra													
Bhavnagar	191	38	15.1	11	1	3	..	26	10.3	11
Dhoraji †	40	21	23.7	8	1	13	14.7	..
Jamnagar	89	36	21.0	13	1	3	..	23	13.4	7

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week the 28th July, 1951—*contd.*

Town	Mid-1951 Popn-Est. (000)	Deaths from :—										Total	D.R.	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Jesspur †	77	29	19.6	9	4	1	..	17	11.5	4	
Junagadh	56	7	6.5	4	1	1	..	6	5.6	2	
Merv	64	26	21.1	10	1	2	1	18	14.6	11	
Porbandar	74	81	56.9	33	6	3	..	42	29.5	..	
Rajkot														
Total	837	238	28.0	88	15	13	1	145	14.0	35	

Travancore-Cochin

Return not received.

ARREAR RETURNS														
Travancore-Cochin			For w/e the 7th July, 1951											
Allappoy	69	46	34.7	1	1	1	...	12	9.0	3	
Ernakulam	57	65	59.3	2	7	6.4	...	
Kottayam	42	10	12.4	1	1	5	6.2	...	
Mattancherri	68	72	55.1	1	...	5	3.8	2	
Nagercoil	61	33	28.1	...	1	...	7	3	1	...	20	17.1	4	
Quilon	66	87	68.5	1	...	3	2.4	..	
Trichur	70	69	51.3	1	2	...	11	8.2	1	
Trivandrum City . .	162	315	101.1	3	...	8	...	27	8.7	4	
TOTAL .	595	697	60.9	...	1	...	14	6	14	..	90	7.9	14	

Travancore-Cochin

For w/e the 14th July, 1951

Alleppay	69	77	58.0	2	1	11	8.3	..
Ernakulam	57	57	52.0	5	3	2	..	47	42.9	3
Kottayam	42	41	50.8	1	1	..	1	9	11.1	..
Mattancherri	68	38	29.1	1	1	..	1	19	14.5	3
Nagercoil	61	31	26.4	7	1	2	..	21	17.9	6
Quilon	66	65	51.2	1	2	..	6	4.7	..
Trichur	70	62	46.1	..	2	..	1	1	1	..	10	7.4	3
Trivandrum City	162	273	87.6	2	2	5	1	36	11.6	2
TOTAL	595	644	56.3	..	2	..	19	10	12	4	159	13.9	17

Travancore-Cochin

For w/e the 21st July, 1951

Alleppay	69	55	41.5	3	1	3	..	17	12.8	3
Ernakulam	57	38	34.7	..	1	..	1	28	43.1	4
Kottayam	42	22	27.2	1	2	1	..	15	18.6	2
Mattancherri	68	65	49.7	5	..	2	..	18	9.9	3
Nagercoil	61	30	25.6	7	..	1	..	17	14.5	5
Quilon	66	94	74.1	4	6	..	14	11.0	..
Trichur	70	65	48.3	5	1	4	..	21	15.6	3
Trivandrum City	162	122	39.2	7	3	7	..	36	11.6	3
TOTAL	595	491	42.9	..	1	..	29	11	24	..	161	14.1	23

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 28th July 1951, relate to 192 towns with an estimated population of 25,193 thousands. The total number of towns is 235 and their population is 29,286 thousands. Thus 82% of the total number of towns representing 86% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 16,936 and 8,812 representing birth and death rates of 35.0 and 18.2 per thousand of population respectively.

(A) *States (Parts A and C).*—The data here relate to 171 towns with an estimated population of 21,927 thousands. Information about Assam and Bihar could not be included. The total number of towns is 203 and their population is 25,092 thousands. Thus 84% of the total number of towns representing 87% of the total population is covered. The numbers of births and deaths recorded in these towns were 15,474 and 8,001 representing birth and death rates of 36.7 and 19.0 per thousand of

population respectively. The table at the end gives the position by States.

The towns of Pandharpur in Bombay and Anakapalle in Madras recorded high death rate of 54.8 and 53.0 per thousand of population respectively. In Pandharpur, the high death rate was mainly due to deaths from fevers and respiratory diseases and in Anakapalli it was due to smallpox and fevers.

(B) *States (Part B).* :—The data here relate to 21 towns with an estimated population of 3,266 thousands. The total number of towns is 32 and their population is 4,204 thousands. Thus 66% of the total number of towns representing 78% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,432 and 811 representing birth and death rates of 23.6 and 12.9 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 28-7-51		Corresponding w/e last year		Corresponding mean during the previous 5 years' period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	30.2	9.2	49.6	8.3	38.8	17.0
Bombay	33.4	16.8	32.7	10.3	31.9	21.7
Delhi	48.9	14.4	48.9	14.5	37.2	14.9
Madhya Pradesh	36.5	14.9	37.8	17.1	37.4	19.2
Madras	53.8	29.3	51.4	31.2	50.0	27.5
Orissa	52.5	28.3	52.7	47.3	42.6	32.5
Punjab (I)	32.9	10.1	26.7	8.4	26.6	10.4
Uttar Pradesh	30.4	20.8	32.7	17.8	37.3	21.3
West Bengal	18.6	13.2	12.8	15.8	12.0	13.6
India (only States Parts A and C).	36.7	19.0	32.9	19.7	36.2	20.9

NEW DELHI, 2 (INDIA);

The 20th August, 1951.

S. P. JAIN,
for Registrar General, India.

